

Applicants: Douglas J. M. Allen et al.  
Serial No.: 10/716,098  
Filed : November 17, 2003  
Page 2

**Amendments to the Claims**

Please cancel claim 12, add new claims 27 and 28, and amend claims 13, 16 and 23 under the provisions of 37 C.F.R. §1.121, as set forth in the Federal Register on June 30, 2003, as follows:

1 - 12. (Canceled)

13. (Currently Amended) A hydrate form of N-(3-ethynylphenyl)-6,7-bis(2-methoxyethoxy)-4-quinazolinamine mesylate ~~of claim 12~~.

14 - 15. (Canceled)

16. (Previously Presented) A pharmaceutical composition comprising from about 0.001 mg to about 100 mg of N-(ethynylphenyl)-6,7-bis(2-methoxyethoxy)-4-quinazolinamine mesylate or of a hydrate form of N-(ethynylphenyl)-6,7-bis(2-methoxyethoxy)-4-quinazolinamine mesylate, and a pharmaceutically acceptable carrier.

17. (Previously Presented) The pharmaceutical composition of claim 16, comprising from about 1 mg to about 35 mg of the compound.

18. (Previously Presented) The pharmaceutical composition of claim 16, comprising from about 0.05 mg to about 7 g of the compound.

Applicants: Douglas J. M. Allen et al.  
Serial No.: 10/716,098  
Filed : November 17, 2003  
Page 3

19. (Previously Presented) The pharmaceutical composition of claim 17, comprising from about 0.2 g to about 2.5 g of the compound.
20. (Previously Presented) The pharmaceutical composition of claim 19, in the form of a tablet, capsule, pill, powder, sustained release formulations, solution, parenteral injection as a sterile solution, suspension or emulsion, or suppository.
21. (Previously Presented) The pharmaceutical composition of claim 20, in the form of a parenteral injection.
22. (Previously Presented) The pharmaceutical composition of claim 20, in the form of a tablet.
23. (Previously Presented) A method of treating a mammal suffering from a hyperproliferative disorder which comprises administering to said mammal an amount of the pharmaceutical composition of claim 16 therapeutically effective to inhibit the epidermal growth factor receptor ("EGFR") in the mammal, so as to thereby treat the mammal-, wherein the hyperproliferative disorder is brain cancer, lung cancer, squamous cell cancer, bladder cancer, gastric cancer, pancreatic cancer, breast cancer, head cancer, neck cancer, renal cancer, kidney cancer, ovarian cancer, prostate cancer, colorectal cancer, oesophageal cancer, gynecological cancer, or thyroid cancer.

Applicants: Douglas J. M. Allen et al.  
Serial No.: 10/716,098  
Filed : November 17, 2003  
Page 4

24. (Canceled)

25. (Previously Presented) The method of claim 23 further comprising administering to said mammal a therapeutically effective amount of a compound selected from the group consisting of alkylating agents, anti-metabolites, intercalating antibiotics, growth factor inhibitors, cell-cycle inhibitor, enzymes, topoisomerase, inhibitors, anti-hormones, and anti-androgens.

26. (Previously Presented) The method of claim 25 wherein the cell-cycle inhibitor is a mitotic inhibitor.

27. (New) The pharmaceutical composition of claim 16, comprising from about 0.001 mg to about 100 mg of N-(ethynylphenyl)-6,7-bis(2-methoxyethoxy)-4-quinazolinamine mesylate and a pharmaceutically acceptable carrier.

28. (New) The pharmaceutical composition of claim 16, comprising from about 0.001 mg to about 100 mg of a hydrate form of N-(ethynylphenyl)-6,7-bis(2-methoxyethoxy)-4-quinazolinamine mesylate and a pharmaceutically acceptable carrier.